## Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

## Listing of Claims:

(Currently Amended) An <u>electrode-free</u> analyzing tool comprising:
a reaction space in which a particular component of a sample and a reagent react with each other; and

a reagent portion which is arranged in the reaction space and which dissolves when the sample is supplied to the reaction space,

wherein the reagent portion includes a first part and a second part facing each other and provided on defining-electrode-free surfaces that define the reaction space and face each other.

wherein the reagent comprises a color-developing reagent, and wherein both of the first part and the second part contain the color-developing reagent.

- 2. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 1, wherein the first part and the second part are separated from each other.
- 3. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 1, wherein the first part and the second part differ from each other in composition.

## 4. (Canceled)

5. (Currently Amended) The electrode-free analyzing tool according to claim 1, wherein the defining electrode-free surfaces include a first electrode-free surface on which the first part is provided, and a second electrode-free surface on which the second part is provided, the second electrode-free surface facing the first electrode-free surface in a direction normal to the first surface, and

wherein a facing distance between the first <u>electrode-free</u> surface and the second electrode-free surface is no greater than 300μm.

- 6. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 5, wherein the facing distance is no smaller than 30µm.
- 7. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 5, further comprising a first plate member in which the first <u>electrode-free</u> surface is included, and a second plate member in which the second <u>electrode-free</u> surface is included, the second plate member defining the reaction space together with the first plate member.
- 8. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 7, further comprising a spacer for bonding the first plate member and the second plate member to each other and defining the reaction space together with the plate members; wherein the facing distance is determined by the spacer.
- 9. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 1, wherein the reaction space is designed to move the sample by a capillary force generated in the reaction space.
- 10. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 1, wherein blood is used as the sample.

## 11-15. (Canceled)

16. (Currently Amended) An <u>electrode-free</u> analyzing tool comprising a reaction space in which a particular component of a sample reacts with a reagent-and provides a <u>eclor signal that corresponds to an amount of the particular component of a sample and is measured by colorimetry.</u>

wherein the reaction space is defined by defining electrode-free surfaces which include: a reagent retaining surface that retains a reagent, which comprises a color-developing reagent that provides a color signal corresponding to an amount of the particular component of a sample and measured by colorimetry; and a facing surface which faces the reagent retaining surface in a direction normal to the reagent retaining surface and which does not retain a reagent, and

wherein a facing distance between the reagent retaining surface and the facing surface is no greater than 150 µm.

- 17. (Currently Amended) The electrode-free analyzing tool according to claim 16, wherein the facing distance is no greater than  $100\mu m$ .
- 18. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 17, wherein the facing distance is no greater than 75µm.
- 19. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 16, wherein the facing distance is no smaller than 30μm.
- 20. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 16, wherein the reaction space is designed to move the sample.
- 21. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 20, wherein the reaction space is designed to move the sample by a capillary force generated in the reaction space.
- 22. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 16, further comprising a first plate member in which the reagent retaining surface is included, and a second plate member in which the facing surface is included, the second plate member defining the reaction space together with the first plate member.

- 23. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 22, further comprising a spacer for bonding the first plate member and the second plate member to each other and defining the reaction space together with the plate members; wherein the facing distance is determined by the spacer.
- 24. (Currently Amended) The <u>electrode-free</u> analyzing tool according to claim 16, wherein blood that contains blood cells is used as the sample.